

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : 74170 - ATF POWER LG6  
Product code : 74170  
Type of product : Lubricant

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

North Sea Lubricants B.V. B.V.  
Ampèrestraat 5  
NL- 3846AN Harderwijk  
The Netherlands  
T +31 651345369  
[support@northsealubricants.com](mailto:support@northsealubricants.com) - [www.northsealubricants.com](http://www.northsealubricants.com)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)786527652  
Monday to Friday: 09:00 - 16:00 (CET)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Other hazards which do not result in classification : Flammable liquids. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

| Name   | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil<br>substance with national workplace exposure limit(s) (BE, BG, CZ, DK, HR, NL, NO); substance with a Community workplace exposure limit | CAS-No.: 64742-54-7<br>EC-No.: 265-157-1<br>EC Index-No.: 649-467-00-8<br>REACH-no: 01-2119484627-25 | 25 – 50   | Asp. Tox. 1, H304   |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based   | CAS-No.: 72623-87-1<br>EC-No.: 276-738-4<br>EC Index-No.: 649-483-00-5<br>REACH-no: 01-211947-4889   | 25 – 50   | Asp. Tox. 1, H304   |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil<br>substance with national workplace exposure limit(s) (BE, NL)  | CAS-No.: 64742-55-8<br>EC-No.: 265-158-7<br>EC Index-No.: 649-468-00-3<br>REACH-no: 01-2119487077-29 | 1 – 2.5   | Not classified  |
| Methacrylate copolymer   | CAS-No.: Conf0551  | 1 – 2.5   | Eye Irrit. 2, H319  |
| Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich<br>substance with a Community workplace exposure limit  | CAS-No.: 398141-87-2<br>EC-No.: 800-172-4<br>REACH-no: 01-2119969520-35                              | 0.5 – 2.5 | Aquatic Chronic 2, H411   |

#### Specific concentration limits:

| Name                   | Product identifier | Specific concentration limits     |
|------------------------|--------------------|-----------------------------------|
| Methacrylate copolymer | CAS-No.: Conf0551  | ( 75 ≤C < 100) Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Allow affected person to breathe fresh air. Allow the victim to rest.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects                    | : After adequate first aid, no further treatment is required unless symptoms reappear. Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation   | : After adequate first aid, no further treatment is required unless symptoms reappear.  |
| Symptoms/effects after skin contact | : After adequate first aid, no further treatment is required unless symptoms reappear.  |
| Symptoms/effects after eye contact  | : After adequate first aid, no further treatment is required unless symptoms reappear.  |
| Symptoms/effects after ingestion    | : After adequate first aid, no further treatment is required unless symptoms reappear.  |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Eliminate all ignition sources if safe to do so.  
Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.  
Storage temperature : 45 °C  
Storage area : Store away from heat. Store in a well-ventilated place.  
Special rules on packaging : Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

No additional information available

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

###### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

###### EU - Indicative Occupational Exposure Limit (IOEL)

|          |                     |
|----------|---------------------|
| IOEL TWA | 5 mg/m <sup>3</sup> |
|----------|---------------------|

###### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

###### EU - Indicative Occupational Exposure Limit (IOEL)

|                |        |
|----------------|--------|
| IOEL TWA [ppm] | 50 ppm |
|----------------|--------|

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No additional information available

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Avoid all unnecessary exposure.

###### 8.2.2.1. Eye and face protection

###### Eye protection:

Chemical goggles or safety glasses

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Wear protective gloves.

###### 8.2.2.3. Respiratory protection

###### Respiratory protection:

Wear appropriate mask

###### 8.2.2.4. Thermal hazards

No additional information available

##### 8.2.3. Environmental exposure controls

###### Other information:

Do not eat, drink or smoke during use.

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |                                 |
|---|---------------------------------|
| Physical state                                  | : Liquid                        |
| Colour  | : amber. Yellow.                |
| Odour   | : characteristic.               |
| Odour threshold                                 | : Not available                 |
| Melting point                                   | : Not available                 |
| Freezing point                                  | : -45 °C                        |
| Boiling point                                   | : Not available                 |
| Flammability                                    | : Non flammable.                |
| Explosive limits                                | : Not available                 |
| Lower explosive limit (LEL)                     | : Not available                 |
| Upper explosive limit (UEL)                     | : Not available                 |
| Flash point                                     | : > 201 °C                      |
| Auto-ignition temperature                       | : Not available                 |
| Decomposition temperature                       | : Not available                 |
| pH  | : Not available                 |
| Viscosity, kinematic                            | : 27.2 mm <sup>2</sup> /s @40°C |
| Solubility                                      | : insoluble in water.           |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                 |
| Vapour pressure                                 | : Not available                 |
| Vapour pressure at 50 °C                        | : Not available                 |
| Density   | : 844 kg/m <sup>3</sup> @15°C   |
| Relative density                                | : Not available                 |
| Relative vapour density at 20 °C                | : Not available                 |
| Particle size                                   | : Not applicable                |
| Particle size distribution                      | : Not applicable                |
| Particle shape                                  | : Not applicable                |
| Particle aspect ratio                           | : Not applicable                |
| Particle aggregation state                      | : Not applicable                |
| Particle agglomeration state                    | : Not applicable                |
| Particle specific surface area                  | : Not applicable                |
| Particle dustiness                              | : Not applicable                |

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

|   |                         |
|---|-------------------------|
| LD50 oral (rat)                           | > 5000 mg/kg bodyweight |
| LD50 dermal (rabbit)                      | > 5000 mg/kg            |
| LC50 inhalation (rat) (Vapours - mg/l/4h) | > 5.53 mg/l/4h          |

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|   |                         |
|---|-------------------------|
| LD50 oral (rat)                             | > 5000 mg/kg bodyweight |
| LD50 dermal (rabbit)                        | > 2000 mg/kg            |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | ≥ 5.53 mg/l/4h          |

#### Methacrylate copolymer (Conf0551)

|                 |              |
|-----------------|--------------|
| LD50 oral (rat) | > 2000 mg/kg |
|-----------------|--------------|

#### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                 |                   |
|-----------------|-------------------|
| LD50 oral (rat) | 4000 – 8000 mg/kg |
| LD50 oral       | > 10000 mg/kg     |

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

|   |                |
|---|----------------|
| LD50 oral (rat)                             | > 5000 mg/kg   |
| LD50 dermal (rabbit)                        | > 5000 mg/kg   |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h |

Skin corrosion/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Serious eye damage/irritation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Respiratory or skin sensitisation : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Germ cell mutagenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Carcinogenicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
Reproductive toxicity : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-single exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met  
STOT-repeated exposure : Not classified  
Additional information : Based on available data, the classification criteria are not met

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

|                            |                      |
|----------------------------|----------------------|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight |
|----------------------------|----------------------|

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

|                            |   |
|----------------------------|---|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
|----------------------------|---|

Aspiration hazard : Not classified  
Additional information : Based on available data, the classification criteria are not met

### 74170 - ATF POWER LG6

|                      |                               |
|----------------------|-------------------------------|
| Viscosity, kinematic | 27.2 mm <sup>2</sup> /s @40°C |
|----------------------|-------------------------------|

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

|                        |  |
|------------------------|--|
| LC50 - Fish [1]        | > 100 mg/l Pimephales promelas             |
| EC50 - Crustacea [1]   | > 10000 mg/l Daphnia magna                 |
| NOEC chronic fish      | 1000 mg/l Oncorhynchus mykiss              |
| NOEC chronic crustacea | 10 mg/l Daphnia magna                      |
| NOEC chronic algae     | > 100 mg/l Pseudokirchneriella subcapitata |

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|                 |            |
|-----------------|------------|
| LC50 - Fish [1] | > 100 mg/l |
|-----------------|------------|

### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 2.4 mg/l Oncorhynchus mykiss (Rainbow trout) |
| EC50 - Crustacea [1] | 4.6 mg/l Daphnia magna                       |
| EC50 72h - Algae [1] | 63 mg/l Desmodesmus subspicatus              |
| NOEC chronic algae   | 0.313 mg/l Desmodesmus subspicatus           |

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

|                        |  |
|------------------------|--|
| LC50 - Fish [1]        | > 100 mg/l Pimephales promelas             |
| EC50 - Crustacea [1]   | > 10000 mg/l Daphnia magna                 |
| NOEC chronic fish      | ≥ 1000 mg/l Oncorhynchus mykiss            |
| NOEC chronic crustacea | 10 mg/l Daphnia magna                      |
| NOEC chronic algae     | ≥ 100 mg/l Pseudokirchneriella subcapitata |

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### 74170 - ATF POWER LG6

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

|                |                     |
|----------------|---------------------|
| Biodegradation | 31 % 28 d OECD 301F |
|----------------|---------------------|

#### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

|                |       |
|----------------|-------|
| Biodegradation | 9.6 % |
|----------------|-------|

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

|                |                          |
|----------------|--------------------------|
| Biodegradation | 31 % 28 d, OECD TG 301 F |
|----------------|--------------------------|

### 12.3. Bioaccumulative potential

#### 74170 - ATF POWER LG6

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Kow) | > 4 |
|---|-----|

#### Methacrylate copolymer (Conf0551)

|   |      |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 6.68 |
|---|------|

#### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                                     |       |
|-------------------------------------|-------|
| Bioconcentration factor (BCF REACH) | 27.54 |
|-------------------------------------|-------|

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Kow) | 4.1 |
|---|-----|

|                           |                            |
|---------------------------|----------------------------|
| Bioaccumulative potential | Bioaccumulative potential. |
|---------------------------|----------------------------|

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | > 6 |
|---|-----|

### 12.4. Mobility in soil

#### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.



# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG  | IATA                              | ADN                               | RID                               |
|---|---|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>14.1. UN number or ID number</b>     |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.2. UN proper shipping name</b>    |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.3. Transport hazard class(es)</b> |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.4. Packing group</b>              |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.5. Environmental hazards</b>      |   |                                   |                                   |                                   |
| Dangerous for the environment: No       | Dangerous for the environment: No<br>Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available  |   |                                   |                                   |                                   |

#### 14.6. Special precautions for user

##### Overland transport

No data available

##### Transport by sea

No data available

##### Air transport

No data available

##### Inland waterway transport

No data available

##### Rail transport

No data available

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes |   |          |          |
|-----------------------|---|----------|----------|
| Section               | Changed item  | Change   | Comments |
| 2.1                   | Adverse physicochemical, human health and environmental effects | Added    |          |
| 4.1                   | First-aid measures after skin contact                           | Modified |          |
| 4.1                   | First-aid measures after inhalation                             | Modified |          |
| 4.1                   | First-aid measures after ingestion                              | Modified |          |
| 4.1                   | First-aid measures after eye contact                            | Modified |          |
| 4.3                   | Other medical advice or treatment                               | Added    |          |
| 5.2                   | Hazardous decomposition products in case of fire                | Added    |          |
| 5.3                   | Protection during firefighting                                  | Modified |          |
| 6.1                   | Protective equipment  | Modified |          |
| 6.1                   | Emergency procedures  | Modified |          |
| 6.2                   | Environmental precautions                                       | Modified |          |
| 6.3                   | Other information   | Added    |          |
| 6.3                   | Methods for cleaning up   | Modified |          |
| 6.4                   | Reference to other sections (8, 13)                             | Modified |          |
| 7.1                   | Hygiene measures  | Added    |          |
| 7.1                   | Precautions for safe handling                                   | Modified |          |
| 7.2                   | Storage conditions  | Modified |          |
| 8.2                   | Environmental exposure controls                                 | Added    |          |
| 8.2                   | Appropriate engineering controls                                | Added    |          |
| 8.2                   | Hand protection   | Modified |          |
| 8.2                   | Eye protection  | Modified |          |
| 9.1                   | Melting point   | Added    |          |
| 10.1                  | Reactivity  | Added    |          |
| 12.1                  | Ecology - general   | Added    |          |
| 13.1                  | Waste treatment methods   | Added    |          |
| 16                    | Abbreviations and acronyms                                      | Added    |          |

# 74170 - ATF POWER LG6

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements:

|                   |   |
|-------------------|---|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Asp. Tox. 1       | Aspiration hazard, Category 1                                     |
| EUH210            | Safety data sheet available on request.                           |
| Eye Irrit. 2      | Serious eye damage/eye irritation, Category 2                     |
| H304              | May be fatal if swallowed and enters airways.                     |
| H319              | Causes serious eye irritation.                                    |
| H411              | Toxic to aquatic life with long lasting effects.                  |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.