

STREAM POWER SYN 2T

Fully Synthetic 2-Stroke Motorcycle Oil

STREAM POWER SYN 2T is a supreme performance synthetic lubricant specially developed for high output air cooled 2-stroke motorcycles and scooters, which are operating under severe conditions.

STREAM POWER SYN 2T is based on high quality synthetic base oils in combination with a special selected additive package to obtain the following properties:

- Exceptional protection against piston scuffing and wear of engine components.
- Exceptional control against engine deposits, exhaust system blocking.
- Extended engine life without power loss.
- Specially selected synthetic base fluid reduces visible exhaust smoke.
- Low ash additive technology prevents pre-ignition and spark plug.
- Easy miscibility with gasoline ensure stable homogeneous mixture even at low ambient temperatures.

STREAM POWER SYN 2T meets the following performance criteria:

JASO FD
Rotax 253

ISO-L-EGD
Husqvarna 346/372

API TC

ISO 6743-15

Typical Analysis

| Properties | Unit | Method | Typical Value |
|-----------------------------|--------------------|----------------------|------------------|
| Density @15°C | kg/m ³ | ASTM 4052 | 876.6 |
| Kinematic Viscosity @ 40°C | mm ² /s | ASTM D7042 | 49.1 |
| Kinematic Viscosity @ 100°C | mm ² /s | ASTM D7042 | 8.7 |
| Viscosity Index | | ASTM D2270 | 158 |
| Flash Point COC | °C | ASTM D92 | >100 |
| Pour Point | °C | ASTM D7346 | -54 |
| Total Base Number | mgKOH/g | ASTM D2896 | 2.2 |
| Sulphated Ash | %Wt | ASTM D874 | 0.13 |
| Date Issued: 15-5-2025 | | Supersedes: 16-62021 | Revision Nr.: 02 |

